


MIXPACTM DP2X 200

200mL Cartridge Dispenser



Features

- · Universal conversion kits with interchangeable cartridge trays and plungers
- · Quick Exhaust
- · Integrated anti-drip feature
- · Ergonomically designed

Benefits

- Quick ratio exchange and use with DM2X and DP2X tools
- · High precision and dispensing accuracy
- · No oozing or dripping
- · Fatigue free operation for longer periods of time

Applications



Bonding



Gap Filling



Sealing



Shimming



Solid Surface



Encapsulation

Product by range



Specifications

Weight 1.76kg / 3.87lbsLength: 406mm / 15.9in

· Maximum Thrust: 2.5kN


 \cdot Tool material: cast aluminium and reinforced nylon

· Cartridge capacity: 200mL

 \cdot Cartridge ratio: 1:1 / 2:1 / 4:1 / 10:1

 \cdot Air inlet: 1/4in NPT

 \cdot Max operating pressure: 6.8 bar / 100 psi



Ratio

Part n	umber:	Article number:	1:1	2:1	4:1	10:1
DP2X 2	200-01-25-01	165860	\checkmark	\checkmark		
DP2X 2	200-04-25-01	165861			\checkmark	
DP2X 2	200-10-25-01	165862				✓

Packaging:

Packed individually 1 unit per master carton

Matching MIXPAC™ side-by-side cartridges

C-System / F-System



C-System / F-System 200mL / 1:1 PP/PA



C-System / F-System 200mL / 2:1 PP/PA



C-System / F-System 200mL / 4:1 PP/PBT



C-System / F-System 200mL / 10:1 PP/PBT



MIXPACTM DP2X 400

400mL Cartridge Dispenser



Features

- \cdot Universal conversion kits with interchangeable \cdot Quick ratio exchange and use with cartridge trays and plungers
- · Quick exhaust
- · Integrated anti-drip feature
- · Ergonomically designed

Benefits

- DM2X and DP2X tools
- · High precision and dispensing accuracy
- · No oozing or dripping
- · Fatigue free operation for longer periods of time

Applications




Product by range



Specifications

- · Weight 2.66kg / 5.87lbs
- · Length: 486mm / 19.1in
- · Maximum Thrust: 5.0kN
- · Tool material: cast aluminium and reinforced nylon
- · Cartridge capacity: 400mL
- · Cartridge ratio: 1:1 / 2:1 / 4:1 / 10:1
- \cdot Air inlet: 1/4in NPT
- · Max operating pressure: 6.8 bar/100 psi



Packed individually 1 unit per master carton

Packaging:

 Part number:
 Article number:
 1:1
 2:1
 4:1
 10:1

 DP2X 400-01-50-01
 165864
 ✓
 ✓
 ✓
 ✓

 DP2X 400-04-50-01
 165865
 ✓
 ✓
 ✓

Ratio

Matching MIXPAC™ side-by-side cartridges

165866

C-System / F-System



DP2X 400-10-50-01

C-System / F-System 400mL / 1:1 PP/PA



C-System / F-System / BlueLine 400mL / 2:1 PP/PA



C-System / F-System 400mL / 4:1 PP/PBT



C-System / F-System / BlueLine 400mL / 10:1 PP/PBT